

Author Index

Adams, B. L., 15
 Ahn, S., 255

Bandyopadhyay, P. C., 245
 Bittner, J. C., 15
 Bowen, H. K., 235

Case, E. D., 7
 Cejp, J., 153
 Cha, J. C., 121
 Chang, C.-M. R., L15
 Chaturvedi, M. C., 1
 Chiang, C. K., L27
 Chou, H. M., 7
 Chu, J., 31
 Cohen, J. B., 255

Devgun, M. S., 129

Fortes, M. A., 69
 Fowler, H. A., L27

Gao, Y.-Q., 115
 Gawlik, G., 161
 Godowski, P., L19
 Gopalam, B. S. V., 241
 Grabski, M. W., 85, 93
 Gudmundsson, B., 207

Herman, H., v
 Ho, N. J., 79
 Hua, M., L23
 Hwang, S. L., 177

Iyer, K. J. L., L7

Jacobson, B. E., 207
 Jagielski, J. J., 161
 Jain, A. K., 145
 Jena, A. K., 1
 Jiménez-Garay, R., 229
 Jin, Y., L23

Karmazin, L., 201
 Kato, M., 31
 Khastgir, D., 245
 Kim, C. H., 121
 Kobayashi, T., 45
 Koczak, M. J., 37
 Kozubowski, J. A., 161
 Kuldeep, 145
 Kwon, H., 121

Laird, C., 57
 Li, C., L23
 Lin, R.-S., L1
 Lunarski, J., 161

Macek, K., 153
 Maiti, H. S., 245
 Markworth, A. J., 169
 Márquez, E., 229
 Melmed, A. J., L27
 Messerschmidt, U., 101
 Mulay, L. N., L11
 Murali, K. R., 241
 Murty, G. S., 37

Nahass, P., 235
 Naidu, S. V., 187
 Niinomi, M., 45
 Nourbakhsh, S., 109

O'Brien, T. D., 109
 Pak, H.-R., 31
 Pilling, J., 137
 Pluhar, J., 153
 Podgorski, A., 161
 Pope, D. P., 31

Ritchie, R. O., 23
 Rolinski, E., 193
 Rosa, M. E., 69
 Rosenberg, Z., L9

Sasaki, N., 45
 Sen, P., 187
 Senior, B. A., 219
 Serrano, J. R., L15
 Sharma, S. K., 145
 Shen, P., 177
 Shull, R. D., L27
 Swiatnicki, W. A., 85, 93

Tjong, S. C., 79
 Tong, L.-Z., 115

Varma, S. K., L15
 Venkateswara Rao, K. T., 23
 Villares, P., 229
 Viswanathan, S. K., 241

Wang, W., 115
 Wang, Z., 57
 Wu, L. T., 79

Yan, M., L23

Zielinski, W., 161

Subject Index

Aging

aging and partial austenitizing of age-hardenable Cr-Ni-Mo steels of the type 10-10-2 and 6-11-3, 153

Alloys

alloying behaviour of Ni_2AlTi and NiAl in yttria-partially stabilized zirconia, 177

effect of prolonged high-temperature exposure on the fatigue and fracture behavior of aluminum-lithium alloy 2090, 23

on electronic conduction in the pre-switching region of glassy semi-conducting alloys $\text{As}_{40}\text{Se}_{30}\text{Te}_{30}$ and $\text{As}_{20}\text{Se}_{50}\text{Te}_{30}$, 229

some aspects of the dislocation microstructures in fatigued Fe-Cr-Al alloys, 79

some experiments and comments on the effect of hydrogen on the austenite to martensite transformation in a 1% carbon low alloy steel, L7

sulphur restraint of surface sites in Co-5.4at.%Ru alloy, L19

the multiple twinning of $\text{Fe}_4\text{Al}_{13}$ as a heterogeneous phase in commercial Al-Zn-Mg-Cu alloys, L23

toughness and microstructural factors of Ti-6Al-4V alloy, 45

Aluminium

alloying behaviour of Ni_2AlTi and NiAl in yttria-partially stabilized zirconia, 177

effect of prolonged high-temperature exposure on the fatigue and fracture behavior of aluminum-lithium alloy 2090, 23

some aspects of the dislocation microstructures in fatigued Fe-Cr-Al alloys, 79

structure formation and interdiffusion in vacuum plasma sprayed CoNiCrAlY coatings on IN738LC, 207

superplastic behavior of an Al-4wt.%Ti alloy processed by the powder metallurgy route, 37

the multiple twinning of $\text{Fe}_4\text{Al}_{13}$ as a heterogeneous phase in commercial Al-Zn-Mg-Cu alloys, L23

toughness and microstructural factors of Ti-6Al-4V alloy, 45

Amorphous

diffusion of antimony in amorphous and crystallized $\text{Fe}_{82}\text{B}_{18}$, 145

Amorphous alloys

a model for the structures of amorphous metal-metalloid alloys, L1

Annealing temperature

effect of annealing temperature on subgrain growth during recovery in OFHC copper, L15

Antimony

diffusion of antimony in amorphous and crystallized $\text{Fe}_{82}\text{B}_{18}$, 145

Arsenic

on electronic conduction in the pre-switching region of glassy semi-conducting alloys $\text{As}_{40}\text{Se}_{30}\text{Te}_{30}$ and $\text{As}_{20}\text{Se}_{50}\text{Te}_{30}$, 229

Austenite

some experiments and comments on the effect of hydrogen on the austenite to martensite transformation in a 1% carbon low alloy steel, L7

Austenitic steel

effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel

I: Characterization of microstructure. Determining the distribution of grain boundary diffusivity, 85

effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel

II: The role of dislocation annihilation in grain boundaries in the plastic flow of polycrystalline materials, 93

Austenitizing

aging and partial austenitizing of age-hardenable Cr-Ni-Mo steels of the type 10-10-2 and 6-11-3, 153

Back stress

friction stress and back stress in cyclically deformed Ni_3Ge single crystals, 31

Barium

the atomic fingerprint of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ -type high-temperature superconductors observed by field ion microscopy, L27

Boron

diffusion of antimony in amorphous and crystallized $\text{Fe}_{82}\text{B}_{18}$, 145

Chrome

TEM studies of nitrides in surface-treated and implanted 12% chrome steel, 161

Chromium

aging and partial austenitizing of age-hardenable Cr-Ni-Mo steels of the type 10-10-2 and 6-11-3, 153

some aspects of the dislocation microstructures in fatigued Fe-Cr-Al alloys, 79

Cobalt

structure formation and interdiffusion in vacuum plasma sprayed CoNiCrAlY coatings on IN738LC, 207

sulphur restraint of surface sites in Co-5.4at.%Ru alloy, L19

Copper

correlation of biaxial yield behavior in copper with crystallographic texture for strains in the range 10^{-4} - 10^{-2} , 15

cyclic stress-strain response of polycrystalline copper under fatigue conditions producing enhanced strain localization, 57

effect of annealing temperature on subgrain growth during recovery in OFHC copper, L15

growth and characterization of CuInSe_2 films by close-space evaporation, 241

the atomic fingerprint of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ -type high-temperature superconductors observed by field ion microscopy, L27

the multiple twinning of Fe_4Al_{13} as a heterogeneous phase in commercial Al-Zn-Mg-Cu alloys, L23

Cork
temperature-induced alterations of the structure and mechanical properties of cork, 69

Cryostat
a versatile cryostat and a mutual inductance coil for studying the Meissner effect in high T_c superconductors, L11

Dielectric
polystyrene-titania composite as a dielectric material, 245

Diffusion bonding
the kinetics of isostatic diffusion bonding in superplastic materials, 137

Dislocation
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
II: The role of dislocation annihilation in grain boundaries in the plastic flow of polycrystalline materials, 93
some aspects of the dislocation microstructures in fatigued Fe-Cr-Al alloys, 79
line tension model of the interaction between dislocations and extended obstacles to glide, 101

Elastic modulus
time-dependent recovery of the elastic modulus in thermally shocked polycrystalline yttrium iron garnet (YIG), 7

Electronic conduction
on electronic conduction in the pre-switching region of glassy semi-conducting alloys $As_{40}Se_{30}Te_{30}$ and $As_{20}Se_{50}Te_{30}$, 229

Eutectoid gap
phase transformations of low-alloy steel at temperatures inside the eutectoid gap, 201

Evaporation
growth and characterization of $CuInSe_2$ films by close-space evaporation, 241

Fatigue
cyclic stress-strain response of polycrystalline copper under fatigue conditions producing enhanced strain localization, 57
effect of prolonged high-temperature exposure on the fatigue and fracture behavior of aluminum-lithium alloy 2090, 23
some aspects of the dislocation microstructures in fatigued Fe-Cr-Al alloys, 79

Field ion microscopy
the atomic fingerprint of $YBa_2Cu_3O_{7-x}$ -type high-temperature superconductors observed by field ion microscopy, L27

Fracture
assessment of fracture characteristics with X-ray diffraction techniques, 129
effect of prolonged high-temperature exposure on the fatigue and fracture behavior of aluminum-lithium alloy 2090, 23
the effect of grain size on fracture behaviour in tempered martensite embrittlement for AISI 4340 steel, 121

Friction stress
friction stress and back stress in cyclically deformed Ni_3Ge single crystals, 31

Garnet
time-dependent recovery of the elastic modulus in thermally shocked polycrystalline yttrium iron garnet (YIG), 7

Germanium
friction stress and back stress in cyclically deformed Ni_3Ge single crystals, 31

Grain boundary diffusivity
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
I: Characterization of microstructure. Determining the distribution of grain boundary diffusivity, 85
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
II: The role of dislocation annihilation in grain boundaries in the plastic flow of polycrystalline materials, 93

Grain size
the effect of grain size on fracture behaviour in tempered martensite embrittlement for AISI 4340 steel, 121

Hydrogen
some experiments and comments on the effect of hydrogen on the austenite to martensite transformation in a 1% carbon low alloy steel, L7

Indium
growth and characterization of $CuInSe_2$ films by close-space evaporation, 241

Inductance coil
a versatile cryostat and a mutual inductance coil for studying the Meissner effect in high T_c superconductors, L11

Iridium
the strain sensitivity coefficients of resistance of rhodium, iridium and $Pd_{20}Ag_{80}$, 115

Iron
diffusion of antimony in amorphous and crystallized $Fe_{82}B_{18}$, 145
some aspects of the dislocation microstructures in fatigued Fe-Cr-Al alloys, 79
the multiple twinning of Fe_4Al_{13} as a heterogeneous phase in commercial Al-Zn-Mg-Cu alloys, L23
time-dependent recovery of the elastic modulus in thermally shocked polycrystalline yttrium iron garnet (YIG), 7

Line tension
line tension model of the interaction between dislocations and extended obstacles to glide, 101

Lithium
effect of prolonged high-temperature exposure on the fatigue and fracture behavior of aluminum-lithium alloy 2090, 23

Magnesium
the multiple twinning of Fe_4Al_{13} as a heterogeneous phase in commercial Al-Zn-Mg-Cu alloys, L23

Magnetite
the distribution of Σ boundaries in sintered magnetite, 255

Martensite
on the effect of the volume fraction of martensite on the tensile strength of dual-phase steel, 1
some experiments and comments on the effect of hydrogen on the austenite to martensite transformation in a 1% carbon low alloy steel, L7
the effect of grain size on fracture behaviour in tempered martensite embrittlement for AISI 4340 steel, 121

Meissner effect
a versatile cryostat and a mutual inductance coil for studying the Meissner effect in high T_c superconductors, L11

Molybdenum
aging and partial austenitizing of age-hardenable Cr-Ni-Mo steels of the type 10-10-2 and 6-11-3, 153
surface erosion study of alpha-bombarded molybdenum by scanning electron microscopy, 187

Multiple surface-nucleation
a kinematical model of liquid-drop solidification due to multiple surface-nucleation events, 169

Multiple twinning
the multiple twinning of Fe_4Al_{13} as a heterogeneous phase in commercial Al-Zn-Mg-Cu alloys, L23

Nickel
aging and partial austenitizing of age-hardenable Cr-Ni-Mo steels of the type 10-10-2 and 6-11-3, 153
alloying behaviour of Ni_2AlTi and $NiAl$ in yttria-partially stabilized zirconia, 177
friction stress and back stress in cyclically deformed Ni_3Ge single crystals, 31
structure formation and interdiffusion in vacuum plasma sprayed CoNiCrAlY coatings on IN738LC, 207

Nitrides
TEM studies of nitrides in surface-treated and implanted 12% chrome steel, 161

Oxygen
the atomic fingerprint of $YBa_2Cu_3O_{7-x}$ -type high-temperature superconductors observed by field ion microscopy, L27

Palladium
strain sensitivity coefficients of resistance of rhodium, iridium and $Pd_{20}Ag_{80}$, 115

Plasma
structure formation and interdiffusion in vacuum plasma sprayed CoNiCrAlY coatings on IN738LC, 207

Plasma nitriding
mechanism of high-temperature plasma nitriding of titanium, 193

Plastic flow
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
I: Characterization of microstructure. Determining the distribution of grain boundary diffusivity, 85
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
II: The role of dislocation annihilation in grain boundaries in the plastic flow of polycrystalline materials, 93

Polystyrene
polystyrene-titania composite as a dielectric material, 245

Precipitation
precipitation of titania in a continuous-flow reactor with an organic base stabilizer, 235

Resistance
on the elastic strain coefficients of resistance of metals, L9
the strain sensitivity coefficients of resistance of rhodium, iridium and $Pd_{20}Ag_{80}$, 115

Rhodium
the strain sensitivity coefficients of resistance of rhodium, iridium and $Pd_{20}Ag_{80}$, 115

Ruthenium
sulphur restraint of surface sites in Co-5.4at.%Ru alloy, L19

Scanning electron microscopy
surface erosion study of alpha-bombarded molybdenum by scanning electron microscopy, 187

Selenium
growth and characterization of $CuInSe_2$ films by close-space evaporation, 241
on electronic conduction in the pre-switching region of glassy semi-conducting alloys $As_{40}Se_{30}Te_{30}$ and $As_{20}Se_{50}Te_{30}$, 229

Sigma boundaries
the distribution of Σ boundaries in sintered magnetite, 255

Silver
the strain sensitivity coefficients of resistance of rhodium, iridium and $Pd_{20}Ag_{80}$, 115

Solidification
a kinematical model of liquid-drop solidification due to multiple surface-nucleation events, 169

Steel
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
I: Characterization of microstructure. Determining the distribution of grain boundary diffusivity, 85
effect of distribution of grain boundary diffusivity on plastic flow of austenitic steel
II: The role of dislocation annihilation in grain boundaries in the plastic flow of polycrystalline materials, 93
on the effect of the volume fraction of martensite on the tensile strength of dual-phase steel, 1
phase transformations of low-alloy steel at temperatures inside the eutectoid gap, 201
some experiments and comments on the effect of hydrogen on the austenite to martensite transformation in a 1% carbon low alloy steel, L7
TEM studies of nitrides in surface-treated and implanted 12% chrome steel, 161
the effect of grain size on fracture behaviour in tempered martensite embrittlement for AISI 4340 steel, 121

Strain
correlation of biaxial yield behavior in copper with crystallographic texture for strains in the range 10^{-4} - 10^{-2} , 15
cyclic stress-strain response of polycrystalline copper under fatigue conditions producing enhanced strain localization, 57
on the elastic strain coefficients of resistance of metals, L9
the strain sensitivity coefficients of resistance of rhodium, iridium and $Pd_{20}Ag_{80}$, 115

Strain localization
cyclic stress-strain response of polycrystalline copper under fatigue conditions producing enhanced strain localization, 57

Stress
cyclic stress-strain response of polycrystalline copper under fatigue conditions producing enhanced strain localization, 57

Subgrain growth
effect of annealing temperature on subgrain growth during recovery in OFHC copper, L15

Sulphur restraint
sulphur restraint of surface sites in Co-5.4at.%Ru alloy, L19

Superconductors

a versatile cryostat and a mutual inductance coil for studying the Meissner effect in high T_c superconductors, L11
the atomic fingerprint of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ -type high-temperature superconductors observed by field ion microscopy, L27

Superplastic

superplastic behavior of an Al-4wt.%Ti alloy processed by the powder metallurgy route, 37
the kinetics of isostatic diffusion bonding in superplastic materials, 137

Surface erosion

surface erosion study of alpha-bombarded molybdenum by scanning electron microscopy, 187

Surface sites

sulphur restraint of surface sites in Co-5.4at.%Ru alloy, L19

Tellurium

on electronic conduction in the pre-switching region of glassy semi-conducting alloys $\text{As}_{40}\text{Se}_{30}\text{Te}_{30}$ and $\text{As}_{20}\text{Se}_{50}\text{Te}_{30}$, 229

Tensile strength

on the effect of the volume fraction of martensite on the tensile strength of dual-phase steel, 1

Titania

polystyrene-titania composite as a dielectric material, 245
precipitation of titania in a continuous-flow reactor with an organic base stabilizer, 235

Titanium

alloying behaviour of Ni_2AlTi and NiAl in yttria-partially stabilized zirconia, 177
mechanism of high-temperature plasma nitriding of titanium, 193
superplastic behavior of an Al-4wt.%Ti alloy processed by the powder metallurgy route, 37
texture formation and transition in cold-rolled titanium, 109
toughness and microstructural factors of Ti-6Al-4V alloy, 45

Toughness

toughness and microstructural factors of Ti-6Al-4V alloy, 45

Transmission electron microscopy

TEM studies of nitrides in surface-treated and implanted 12% chrome steel, 161

Vanadium

toughness and microstructural factors of Ti-6Al-4V alloy, 45

Welds

the solidification and in-service transformation behaviour of type 316 and 347 welds fabricated with type 321 plate, 219

X-ray diffraction

assessment of fracture characteristics with X-ray diffraction techniques, 129

Yield

correlation of biaxial yield behavior in copper with crystallographic texture for strains in the range 10^{-4} - 10^{-2} , 15

Yttria

alloying behaviour of Ni_2AlTi and NiAl in yttria-partially stabilized zirconia, 177

Yttrium

structure formation and interdiffusion in vacuum plasma sprayed CoNiCrAlY coatings on IN738LC, 207
the atomic fingerprint of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ -type high-temperature superconductors observed by field ion microscopy, L27
time-dependent recovery of the elastic modulus in thermally shocked polycrystalline yttrium iron garnet (YIG), 7

Zinc

the multiple twinning of $\text{Fe}_4\text{Al}_{13}$ as a heterogeneous phase in commercial Al-Zn-Mg-Cu alloys, L23

Zirconia

alloying behaviour of Ni_2AlTi and NiAl in yttria-partially stabilized zirconia, 177

